

DICATA™ INTRINSICALLY SAFE DUAL-LIGHT USB HEADLAMP

LI-ION RECHARGEABLE



CARACTÉRISTIQUES TECHNIQUES

ITEM NUMBER/UPC	XPR-5562GX, UPC 0 17398 80774 6
MARKET APPLICATIONS	Hazardous work environments, industrial, fire & rescue
CERTIFICATIONS	cULus, ATEX, IECEx, CE, NFPA
CASE MATERIAL	Engineered polymer
SPOTLIGHT LUMENS/RUNTIME	HIGH: 275L, 6 hrs. runtimeLOW: 100L, 15 hrs. runtime
FLOODLIGHT LUMENS/RUNTIME	HIGH: 250L, 6 hrs. runtimeLOW: 100L, 15 hrs. runtime
DUAL-LIGHT LUMENS/RUNTIME	300L, 5 hrs. runtime
CANDELA	HIGH: 3,660
WATER RATING	ANSI IP-67 dustproof / waterproof
DROP RATING	2 meters :
POWER SOURCE	Integrated Li-ion
DIMENSIONS	LENGTH: 1.25 in (31 mm)WIDTH: 3.75 in (95 mm)DEPTH: 1 in (25 mm)WEIGHT: 5.8 oz (164 g) without battery
WHAT'S INCLUDED	HeadlampLi-ion BatteryHeavy-duty rubber head strap4' (304 mm) USB Male (Type A) Magnetic Coupler Charge CordInstruction Manual
WARRANTY	Limited lifetime

► DESCRIPTION DU PRODUIT

- Nightstick DICATA™ XPR-5562GX : Lampe Frontale à Sécurité IntrinsèqueLa lampe frontale Nightstick DICATA™ (XPR-5562GX) offre une solution d'éclairage de précision alliant performance et sécurité avec une puissance de 300 lumens. Ce modèle rechargeable via le système MAGMATE™ (coupleur magnétique) est conçu pour une utilisation intensive dans les zones dangereuses. Sa conception bas profil garantit un dégagement optimal sous les visières de la plupart des casques et casques de sécurité. Elle intègre la technologie Dual-Light®, permettant d'utiliser simultanément un projecteur focalisé (spotlight) et un éclairage de zone large (floodlight) pour une visibilité totale. L'ergonomie a été optimisée pour les conditions industrielles : elle est équipée d'interrupteurs doubles montés à l'avant, permettant de basculer facilement entre les options de faisceau, même avec des gants. Cet équipement certifié Class I Div 1 bénéficie d'une protection IP-67, le rendant totalement étanche à la poussière et à l'eau .

► CARACTÉRISTIQUES ET AVANTAGES

- Robustesse.** Boîtier renforcé résistant aux chocs et aux environnements difficiles.





